


64258 20W 12V 40/CS 1/SKU



Product features and benefits

- Precise filament alignment with patented quartz pinch technology
- OSRAM HLX lamps provide 10% higher luminous efficacy over standard halogen
- Instant on and nearly constant luminous flux over the life of the lamp
- Dimmable

Areas of application

- Microscopy
- Laboratory & Analysis
- UV Curing
- Fiber Illumination
- Surgical & Dental Overhead

Product datasheet

Technical data

General Product Information

Product number (Americas)	54262
Product name (Americas)	64258 20W 12V 40/CS 1/SKU
ANSI code	-
Global order reference	64258

Electrical Data


Nominal wattage	20 W
Nominal voltage	12.0 V
Type of current	AC

Photometric Data

Nominal luminous flux	350 lm
Illuminated field	3.5*0.8 mm ² ¹⁾
Color rendering index Ra	100
Light center length (LCL)	19.5 mm
Light center length (LCL) - (in)	0.768 in

¹⁾ Restricted tolerances 3.5±0.25*0.8±0.10

Physical Attributes & Dimensions



Lamp base	G4
Diameter (in)	0.354 in
Diameter	9.5 mm
Length	30.5 mm
Product weight	1.24 g

Operating Conditions

Product datasheet

Burning position	s90
------------------	-----

Lifetime Data

Nominal lifetime	2000 hr
------------------	---------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172404891 4052899152717 4008321659408 4050300285153 4008321644794
Declaration no. in SCIP database	No declarable substances contained
Candidate list substance 1	No declarable substances contained

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54262	4050300285153	FOLDING BOX	1	1.0 in x 0.9 in x 2.8 in	0.0 lb
54262	4050300891019	SHIPPING BOX	40	4.8 in x 4.3 in x 6.0 in	0.8 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.